

I Overview

As a perfect solution for wireless Skype, SkyDECT is the next generation VoIP adapter that allows the use of Skype with DECT phone (or other regular phones). It is such a smart companion for your SOHO that you can conveniently make or receive any calls, no matter ordinary calls or VoIP calls, on the same phone set!



With **SkyDECT**, you will have the following benefits:

- ✧ Use of Skype with DECT phones or other regular phones.
- ✧ Upgrade your regular phone set to be a **PSTN/VoIP Dual mode** phone.
- ✧ The standby mode is on PSTN channel (It is necessary for emergency calls such as 911)
- ✧ Call Alert for PSTN incoming call when you are on a Skype call.
- ✧ Call Hold allows you to handle VoIP and PSTN at the same time
- ✧ Speed-dial up to 99 contacts
- ✧ FSK Caller ID
- ✧ An instant message is sent to the Skype caller when you are unavailable
- ✧ Live update the driver automatically.


II Additional Features

- ✧ Compact and delicate design.
- ✧ Seamless integration with Skype™
- ✧ Fully functional FXS port.
- ✧ Echo cancellation technology ensures smooth and clear sound.
- ✧ USB interface PnP. No external power/sound card needed.

III Comparison with other VoIP adapter

Features	SkyDECT	Other VoIP Adapter
PSTN pass-thru Port	✓	× (Most VoIP adapters have only one FXS port)
Standby Mode	PSTN Channel (Easy to make emergency calls)	VoIP Channel (Need to switch to PSTN channel to make emergency calls)
Caller ID	✓	×

IV The Layout of SkyDECT



V Specifications:

Weight	95g
Dimension	75*100*21mm
Telephone Interface	One FXS port, one PSTN port for pass-thru
LED	Power Indicator & VoIP Indicator
Voltage	4~5.25 V
Operating Humidity	5~95% RH
Operating Temperature	0~40°C
Standard Support	Compliant with USB V 1.1 Compliant with USB Audio Device Class Spec V 1.0 Compliant with USB HID Version 1.1
Warranty	1 year

VI System Requirements

- ✧ Pentium 400 HMZ or above, with 128MB RAM
- ✧ Windows 2000/XP
- ✧ Skype™ version 1.2 or higher must be installed
- ✧ DECT phone or other analog phone
- ✧ LAN/ADSL/33.6K modem or faster Internet connections.

VII Ordering Information

Model	SD-01
Description	Private label available